


SONOFF



DW2-Wi-Fi


User manual V1.1



Wi-Fi Wireless Door/Window Sensor

Operation instruction


1. Download the "eWeLink"APP




Android™ & iOS

2. Install batteries

2-1. Remove the back cover of the transmitter.




2-2. Insert batteries into the battery compartment based on identifiers of positive and negative poles.



2-3. Close the back cover.

⚠ The battery is not included, please purchase it separately.

3. Enter pairing mode



Long press the pairing button on the transmitter for 5s with the eject pin until the LED indicator flashes, then the device enters the pairing mode.


4. Add the device




Tap "+" and select "Bluetooth connect", then operate following the prompt on the APP.

Install the device


1. Tear off the protective film of the 3M adhesive.



2. Try to align the mark line on the magnet with that on the transmitter during installation.



3. Install them in the opening and closing area separately.




Make sure the installation gap is less than 5mm when the door or the window is closed.

Specifications

| | |
|---------------------|--|
| Model | DW2-Wi-Fi |
| Battery model | AAA 1.5V |
| Working voltage | DC3V (2 x 1.5V battery) |
| Quiescent current | ≤40uA |
| Emission current | ≤15mA |
| Wi-Fi | IEEE 802.11 b 2.4GHz |
| Operating systems | Android & iOS |
| Installation gap | <5mm |
| Working temperature | -10°C~40°C |
| Material | PC |
| Dimension | Transmitter: 70x31x19mm Magnet: 42x14x16mm |

Product Introduction



- ⓘ The device weight is less than 1 kg.
The installation height of less than 2 m is recommended.

LED indicator status instruction

| | |
|-----------------------|--|
| Flashes | Bluetooth Pairing Mode |
| Flashes quickly once | Unable to discover the router |
| Flashes quickly twice | Connect to the router but fail to connect to Wi-Fi |

Features

DW2-Wi-Fi is a Wi-Fi wireless door/window transmitter which triggers the transmitter by separating the magnet for more than 20mm from the transmitter, then the transmitter will send an alarm message and pushes it to APP. You can share the device with your family to check the door/window status together.



Share Control



Alarm push
notification





Historical operation
records



Battery level


Application



Note:

- Do not install outside the door/window.
- Do not install in the unstable position or in the place exposed to rain or moisture.
- Do not install near wiring or magnetic object.

Replace batteries



Hereby, Shenzhen Sonoff Technologies Co., Ltd. declares that the radio equipment type DW2-Wi-Fi is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<https://sonoff.tech/usermanuals>

TX Frequency:

WiFi: 2412-2472MHz

RX Frequency:

WiFi: 2412-2472MHz

BLE Frequency: 2402-2480MHz

WiFi Output Power: 12.62dBm(802.11b)

BLE Output Power: 1.9dBm/MHZ



SONOFF

Shenzhen Sonoff Technologies Co., Ltd.

1001, BLDG8, Lianhua Industrial Park, shenzhen, GD, China

ZIP code: 518000

Website: sonoff.tech

MADE IN CHINA

